


Experts in **Rubber** 

## Acid Resistant ICI M228 EPDM Sheeting

Product Code: RC0356

#### **Product Description**

Our acid resistant ICI M228 EPDM sheeting is a high-grade material that has been specifically manufactured in order to conform with ICI M228 specification. This material is suitable for use in a wide range of acid and chemical contact applications. It also provides excellent weathering and Ozone resistance as well as good flame retardant properties.



#### **Technical Specification**

Properties	Test Method	Values
Product	-	Acid Resistant EPDM Sheeting
Compound	-	EPDM
Hardness (Shore A)	ISO 7619-1	80° ± 5°
Density	ISO 2781	1.16 g/cm <sup>2</sup>
Tensile Strength	ISO 37	10 N/mm²
Elongation at Break	ISO 37	225%
Tear Strength	ISO 34-1	30
Compression Set (22h, 100°C)	ISO 37	40%
Working Temperature Range	-	-35°C to + 120°C





The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.





# Standard Sizes

Properties	Tolerances
1mm x 1.4m x 10m	+/- 0.2mm
1.5mm x 1.4m x 10m	+/- 0.3mm
3mm x 1.4m x 10m	+/- 0.3mm
4mm x 1.4m x 10m	+/- 0.4mm
5mm x 1.4m x 10m	+/- 0.4mm
6mm x 1.4m x 10m	+/- 0.5mm

### Made To Order Sizes - Subject To Minimum Order Quantities

Properties	Tolerances
0.5mm x 1.4m x 10m	+/- 0.2mm
8mm x 1.4m x 5m	+/- 0.7mm
10mm x 1.4m x 5m	+/- 1mm
15mm x 1.4m x 5m	+/- 1mm
20mm x 1.4m x 5m	+/- 1.4mm
25mm x 1.4m x 5m	+/- 1.75mm
32mm x 1m x 1m	-
38mm x 1m x 1m	-
40mm x 1m x 1m	-





The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.